

Revision date: 16-Jul-2018 Version: 5 Print date: 16-Jul-2018



Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

Trade name/designation:

RAVENOL VST SAE 5W-40

Article No.:

1111136

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Use of the substance/mixture:

Lubricant

**1.3. Details of the supplier of the safety data sheet**

Supplier (manufacturer/importer/only representative/downstream user/distributor):

Ravensberger Schmierstoffvertrieb GmbH

Jöllenbecker Str. 2

33824 Werther

D

Telephone: +49 5203 9719 0

Telefax: +49 5203 9719 40

E-mail: kontakt@ravenol.de

Website: www.ravenol.de

E-mail (competent person): technik@ravenol.de

\* **1.4. Emergency telephone number**

Abt. Technik (Produktsicherheit), 24h: +49 700 24 112 112 (Company ID: RAV) (outside USA/Canada)  
011 49 700 24 112 112 (Company ID: RAV) (inside USA/Canada), +49 5203 9719 0 (Mo-Do 7.30 Uhr -  
16.30 Uhr, Fr 7.30 Uhr - 13.15 Uhr) (Only available during office hours.)

**SECTION 2: Hazards identification**

**2.1. Classification of the substance or mixture**

Classification according to Regulation (EC) No 1272/2008 [CLP]:

Hazard classes and hazard categories	Hazard statements	Classification procedure
Serious eye damage/eye irritation (Eye Irrit. 2)	H319: Causes serious eye irritation.	

\* **2.2. Label elements**

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



**GHS07**

Exclamation mark

Signal word: Warning

Hazard components for labelling:

zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate)

**hazard statements for health hazards**

H319 Causes serious eye irritation.

**Supplemental Hazard information (EU)**

EUH208 Contains Amin, Bis(11-14 verzweigte und lineare Alkyl) Wolframate. May produce an allergic reaction.



Revision date: 16-Jul-2018 Version: 5 Print date: 16-Jul-2018

**Precautionary statements Prevention**

P264.1	Wash hands thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection.

**Precautionary statements Response**

P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313	If eye irritation persists: Get medical advice/attention.

**Precautionary statements Disposal**

P501.2	Dispose of contents/container to an appropriate recycling or disposal facility.
--------	---

**2.3. Other hazards**

No data available

**SECTION 3: Composition / information on ingredients**

**3.2. Mixtures**

**Hazardous ingredients / Hazardous impurities / Stabilisers:**

product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CL P]	Concentration
CAS No.: 93819-94-4 EC No.: 298-577-9 REACH No.: 01-2119543726-33	<b>zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate)</b> Eye Dam. 1, Skin Irrit. 2, Aquatic Chronic 2 <b>Danger</b> H315-H318-H411	0 - < 2 Wt %
CAS No.: 1159919-46-6	<b>amine, bis(11-14 branched and linear alkyl) tungstates</b> Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1 H317-H400-H410	0 - < 0.1 Wt %

Full text of H- and EUH-phrases: see section 16.

**SECTION 4: First aid measures**

**4.1. Description of first aid measures**

**General information:**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious place in recovery position and seek medical advice. Do not leave affected person unattended.

**Following inhalation:**

Provide fresh air. Consult a doctor immediately.

**In case of skin contact:**

After contact with skin, wash immediately with plenty of water and soap. Consult a doctor immediately.

**After eye contact:**

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Causes serious eye irritation.

**After ingestion:**

Rinse mouth thoroughly with water. Do NOT induce vomiting. Consult a doctor immediately.

**Self-protection of the first aider:**

Use personal protection equipment. No direct artificial respiration to be given by first aider.

**4.2. Most important symptoms and effects, both acute and delayed**

May produce an allergic reaction. Causes serious eye irritation.

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically. Observe risk of aspiration if vomiting occurs. Causes serious eye irritation.



Revision date: 16-Jul-2018 Version: 5 Print date: 16-Jul-2018

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media:

Co-ordinate fire-fighting measures to the fire surroundings.

Carbon dioxide (CO<sub>2</sub>)

Extinguishing powder

alcohol resistant foam

Use water spray jet to protect personnel and to cool endangered containers.

#### Unsuitable extinguishing media:

Full water jet

### 5.2. Special hazards arising from the substance or mixture

During heating or in case of fire, toxic gases is possible.

The formation of combustible vapours is possible at temperatures above: Flash point

When hot, product develops flammable vapours.

#### Hazardous combustion products:

Carbon monoxide, Carbon dioxide (CO<sub>2</sub>), Nitrogen oxides (NO<sub>x</sub>), Gases/vapours, toxic

During heating or in case of fire, toxic gases is possible.

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Protective clothing.

### 5.4. Additional information

Do not inhale explosion and combustion gases. Move undamaged containers from immediate hazard area if it can be done safely. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

##### Personal precautions:

Use personal protection equipment. Special danger of slipping by leaking/spilling product. Remove persons to safety.

##### Protective equipment:

Wear protective gloves/protective clothing/eye protection/face protection.

#### 6.1.2. For emergency responders

##### Personal protection equipment:

Use personal protection equipment.

### 6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

### 6.3. Methods and material for containment and cleaning up

#### For containment:

Suitable material for taking up: Sand, Kieselguhr, Universal binder, Chemical binding agents, containing acids

Prevent spread over a wide area (e.g. by containment or oil barriers).

#### For cleaning up:

Remove from the water surface (e.g. skimming, sucking). Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

#### Other information:

Treat the recovered material as prescribed in the section on waste disposal.

### 6.4. Reference to other sections

Safe handling: see section 7

Disposal: see section 13

Personal protection equipment: see section 8

### 6.5. Additional information

Clear spills immediately. Use appropriate container to avoid environmental contamination.



Revision date: 16-Jul-2018 Version: 5 Print date: 16-Jul-2018

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Protective measures

##### Advices on safe handling:

Wear personal protection equipment (refer to section 8).

When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Do not put any product-impregnated cleaning rags into your trouser pockets. Clear spills immediately. Use appropriate container to avoid environmental contamination.

##### Fire prevent measures:

No special fire protection measures are necessary.

##### Advices on general occupational hygiene

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place.

#### Requirements for storage rooms and vessels:

Suitable container/equipment material: Floors should be impervious, resistant to liquids and easy to clean. Shafts and sewers must be protected from entry of the product.

Keep/Store only in original container.

#### Hints on storage assembly:

not required

**Storage class:** 10 - Combustible liquids that cannot be assigned to any of the above storage classes

#### Further information on storage conditions:

Store in a cool dry place. Keep away from heat.

### 7.3. Specific end use(s)

#### Recommendation:

Observe technical data sheet.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1. Occupational exposure limit values

No data available

#### 8.1.2. Biological limit values

No data available

#### 8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type ② Exposure route
zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) CAS No.: 93819-94-4	8.31 mg/m <sup>3</sup>	① DNEL worker ② DNEL long-term inhalative (systemic)

\*

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

See section 7. No additional measures necessary.

#### 8.2.2. Personal protection equipment

##### Eye/face protection:

During transfer: Eye glasses with side protection



Revision date: 16-Jul-2018 Version: 5 Print date: 16-Jul-2018

**Skin protection:**

Hand protection  
 Suitable material: NBR (Nitrile rubber), PVC (Polyvinyl chloride), CR (polychloroprene, chloroprene rubber)  
 Thickness of the glove material: >= 0,4 mm  
 Breakthrough time (maximum wearing time) 480 min  
 Breakthrough times and swelling properties of the material must be taken into consideration.  
 The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.  
 For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.  
 Tested protective gloves must be worn: DIN EN 374

Suitable protective clothing: Protective clothing:

**Respiratory protection:**

Usually no personal respiratory protection necessary.

**8.2.3. Environmental exposure controls**

See section 7. No additional measures necessary.

**8.3. Additional information**

Mineral oil mist limits:  
 OSHA PEL - value 5 mg / m<sup>3</sup>, ACGIH STEL - value of 10 mg / m<sup>3</sup>

**SECTION 9: Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

**Appearance**

**Physical state:** Liquid

**Colour:** brown

**Odour:** characteristic

**Safety relevant basis data**

parameter		at °C	Method	Remark
pH	<i>not determined</i>			
Melting point	<i>not determined</i>			
Freezing point	<i>not determined</i>			
Initial boiling point and boiling range	<i>not determined</i>			
Decomposition temperature (°C):	<i>not determined</i>			
Flash point	240 °C			
Evaporation rate	<i>not determined</i>			
Ignition temperature in °C	<i>not determined</i>			
Upper/lower flammability or explosive limits	<i>not determined</i>			
Vapour pressure	<i>not determined</i>			
Vapour density	<i>not determined</i>			
Relative density	847 kg/m <sup>3</sup>	20 °C		
Bulk density	<i>not determined</i>			
Water solubility	The study does not need to be conducted because the substance is known to be insoluble in water.			
Partition coefficient: n-octanol/water	<i>not determined</i>			
Dynamic viscosity	<i>not determined</i>			
Kinematic viscosity	85.1 mm <sup>2</sup> /s	40 °C		

**9.2. Other information**

No data available



Revision date: 16-Jul-2018 Version: 5 Print date: 16-Jul-2018

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No known hazardous reactions. Risk of explosion if heated under confinement.

### 10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

### 10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

### 10.4. Conditions to avoid

To avoid thermal decomposition do not overheat.

### 10.5. Incompatible materials

Materials to avoid: Acid, Reducing agent

### 10.6. Hazardous decomposition products

Hazardous combustion products: Carbon dioxide Carbon monoxide Nitrogen oxides (NOx)

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

CAS No.	Substance name	Toxicological information
93819-94-4	zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate)	<b>LD<sub>50</sub> oral:</b> 2,600 g/m <sup>3</sup> (Rat) <b>LD<sub>50</sub> dermal:</b> 3,160 g/m <sup>3</sup> (Rabbit)

#### Acute oral toxicity:

Pamatojoties uz pieejamajiem datiem, klasifikācijas kritēriji nav izpildīti.

#### Acute dermal toxicity:

No information available for acute dermal and inhalative toxicity.

#### Acute inhalation toxicity:

No information available for acute dermal and inhalative toxicity.

#### Skin corrosion/irritation:

No irritant effect.

Frequently or prolonged contact with skin may cause dermal irritation.

#### Serious eye damage/irritation:

No irritant effect.

#### Respiratory or skin sensitisation:

Contains amine, bis(11-14 branched and linear alkyl) tungstates. May produce an allergic reaction.

#### Germ cell mutagenicity:

No indications of human germ cell mutagenicity exist.

#### Carcinogenicity:

No indication of human carcinogenicity.

#### Reproductive toxicity:

No indications of human reproductive toxicity exist.

#### Aspiration hazard:

Observe risk of aspiration if vomiting occurs.

## SECTION 12: Ecological information

### 12.1. Toxicity

CAS No.	Substance name	Toxicological information
93819-94-4	zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate)	<b>LC<sub>50</sub>:</b> 4.5 mg/l 4 d <b>EC<sub>50</sub>:</b> 5.4 mg/l 2 d <b>EC<sub>50</sub>:</b> 2.1 mg/l 3 d

#### Assessment/classification:

The product has not been tested.

#### Additional ecotoxicological information:

Do not allow uncontrolled discharge of product into the environment.



Revision date: 16-Jul-2018 Version: 5 Print date: 16-Jul-2018

\* **12.2. Persistence and degradability**

CAS No.	Substance name	Biodegradation	Remark
93819-94-4	zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate)	No	

**Biodegradation:**

Not readily biodegradable (according to OECD criteria)

**12.3. Bioaccumulative potential**

CAS No.	Substance name	Log K <sub>OC</sub>	Bioconcentration factor (BCF)
93819-94-4	zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate)	0.9	

**Accumulation / Evaluation:**

The product has not been tested.

**12.4. Mobility in soil**

The product has not been tested.

**12.5. Results of PBT and vPvB assessment**

CAS No.	Substance name	Results of PBT and vPvB assessment
93819-94-4	zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate)	The substance in the mixture does not meet the PBT/vPvB criteria according to REACH, annex XIII.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

**12.6. Other adverse effects**

No data available

**SECTION 13: Disposal considerations**

**13.1. Waste treatment methods**

Dispose of waste according to applicable legislation.

**13.1.1. Product/Packaging disposal**

Waste codes/waste designations according to EWC/AVV

**Waste code packaging:**

**Remark:**

Dispose of waste according to applicable legislation.

**Waste treatment options**

**Appropriate disposal / Product:**

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal.

**Appropriate disposal / Package:**

Non-contaminated packages may be recycled.

**13.2. Additional information**

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

**SECTION 14: Transport information**

No dangerous good in sense of these transport regulations.

<b>14.1. UN-No.</b>	not relevant
<b>14.2. UN proper shipping name</b>	not relevant
<b>14.3. Transport hazard class(es)</b>	not relevant
<b>14.4. Packing group</b>	not relevant



Revision date: 16-Jul-2018 Version: 5 Print date: 16-Jul-2018

#### 14.5. Environmental hazards

not relevant

#### 14.6. Special precautions for user

not relevant

#### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

### SECTION 15: Regulatory information

#### \* 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU legislation

No data available

##### 15.1.2. National regulations

##### [DE] National regulations

##### Restrictions of occupation

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

##### Störfallverordnung

##### for substances contained in the product:

E2 Hazardous to the aquatic environment in Category Chronic 2

##### Technische Anleitung Luft (TA-Luft)

##### Remark:

To follow: 5.2.5.

##### Water hazard class (WGK)

##### WGK:

2 - deutlich wassergefährdend

##### Source:

Self-classification (mixture; calculation rule).  
Identification number 436

##### Technische Regeln für Gefahrstoffe

TRGS 510

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

##### Berufsgenossenschaftliche Vorschriften (BGV)

Berufsgenossenschaftliche Informationen (BGI) 868  
Berufsgenossenschaftliche Regeln (BGR) 189, 190, 192, 195

##### Other regulations, restrictions and prohibition regulations

Altöl-Verordnung (AltöIV)

#### 15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### 15.3. Additional information

No data available

### SECTION 16: Other information

#### \* 16.1. Indication of changes

1.4.	Emergency telephone number
2.2.	Label elements
3.2.	Mixtures
4.1.	Description of first aid measures
4.2.	Most important symptoms and effects, both acute and delayed
8.2.	Exposure controls
11.1.	Information on toxicological effects





Revision date: 16-Jul-2018 Version: 5 Print date: 16-Jul-2018

12.2.	Persistence and degradability
15.1.	Safety, health and environmental regulations/legislation specific for the substance or mixture
16.1.	Indication of changes
16.5.	Relevant R-, H- and EUH-phrases (Number and full text)

### 16.2. Abbreviations and acronyms

See overview table at [www.euphrac.eu](http://www.euphrac.eu)

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

### 16.3. Key literature references and sources for data

67/548/EEC - Dangerous Substances Directive

1999/45/EEC - Dangerous Preparations Directive

EC 1907/2006 - REACH Regulation

1272/2008 EC - Regulation on classification, labeling and packaging of substances and mixtures, and amending Directives 67/548/EEC and 1999/45/EC and Regulation (EC) No 1907/2006

Regulation (EC) No 1907/2006 (REACH), Annex II

European Chemicals Agency (ECHA), C & L classification and labeling inventory

European Chemicals Agency (ECHA), ECHA CHEM Registered substances

OECD The Global Portal to Information on Chemical Substances (ChemPortal)

Institute for Occupational Safety and Health of the German Social Accident Insurance (IFA): GESTIS substance database and International limit values for chemical substances

Federal Environment Agency, Section IV 2.4: Documentation and Information Centre substances

hazardous to water Rigoletto (catalog substances hazardous to water)

### 16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Classification according to Regulation (EC) No 1272/2008 [CLP]:

Hazard classes and hazard categories	Hazard statements	Classification procedure
Serious eye damage/eye irritation ( <i>Eye Irrit. 2</i> )	H319: Causes serious eye irritation.	

### \* 16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements	
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

### 16.6. Training advice

No data available

### 16.7. Additional information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

\* Data changed compared with the previous version

**RAVENOL VollSynth Turbo VST SAE 5W-40**

Art. 1111136

CleanSynto®

**Beschreibung:**

**RAVENOL VollSynth Turbo VST SAE 5W-40** ist ein vollsynthetisches Leichtlauf-Motorenöl mit CleanSynto® Technologie für PKW Benzin- und Dieselmotoren mit und ohne Turboaufladung und Direkteinspritzer. Minimierung von Reibung, Verschleiß und Kraftstoffverbrauch, exzellente Kaltstarteigenschaften. Verlängerte Ölwechselintervalle gemäß Herstellervorschrift.

**RAVENOL VollSynth Turbo VST SAE 5W-40** garantiert Betriebssicherheit in allen Fahrzuständen wie z.B. bei extremem Stop-and-Go-Verkehr sowie Hochgeschwindigkeits-Autobahnfahrten.

**Anwendungshinweise:**

**RAVENOL VollSynth Turbo VST SAE 5W-40** ist für den energiesparenden ganzjährigen Einsatz in allen modernen Benzin- und Dieselmotoren in PKW, Kombi's, Kleintransportern und ähnlichen Fahrzeugen bestens geeignet und wurde speziell für Turbolader- sowie Katalysatorenbetrieb entwickelt.

**Qualitäts-Klassifikation:**

**RAVENOL VollSynth Turbo VST SAE 5W-40** ist freigegeben, praxisbewährt und erprobt in Aggregaten mit Füllvorschrift:

Spezifikationen: API SN/CF, ACEA A3/B4

Lizenziert: API SN

Freigaben: MB-Freigabe 229.5, Porsche A40, VW 502 00 / 505 00

Empfehlungen: Opel GM-LL-B-025, Renault RN0700 / RN0710, BMW Longlife-01, Fiat 9.55535-Z2, Chrysler MS-12991 (ersetzt MS-10896), MS-10850, MS-10725 (Fiat 9.55535-GH2 und Fiat 9.55535-Z2)

**Eigenschaften:**

**RAVENOL VollSynth Turbo VST SAE 5W-40** bietet:

- Hohen Verschleißschutz
- Kraftstoffeinsparung durch Leichtlaufeigenschaften
- Hervorragende Detergent- und Dispersanteigenschaften
- Verhinderung von Schwarzschlamm Bildung
- Lange Lebensdauer durch hohe Oxidationsstabilität
- Ein hervorragendes Kaltstartverhalten
- Ein sehr gutes Viskositäts-Temperatur-Verhalten
- Eine geringe Verdampfungsneigung
- Katalysatoreignung

**Technische Kennwerte:**

Eigenschaften	Einheit	Daten	Prüfung nach	
<b>Farbe</b>		braun	visuell	
<b>Dichte</b>	bei 20°C	kg/m <sup>3</sup>	847	EN ISO 12185
<b>Viskosität</b>	bei -30°C	mPa*s	4250	ASTM D5293
	bei 40°C	mm <sup>2</sup> /s	82,27	DIN 51 562
	bei 100°C	mm <sup>2</sup> /s	13,81	DIN 51 562
<b>Viskositätsindex VI</b>		173	DIN ISO 2909	
<b>Flammpunkt (COC)</b>	°C	240	DIN ISO 2592	
<b>Pourpoint</b>	°C	-50	DIN ISO 3016	
<b>TBN</b>	mg KOH/g	10,5	DIN ISO 3771	
<b>Sulfatasche</b>	% wt.	1,15	DIN 51 575	
<b>Noack Verdampfungstest</b>	%	8,5	ASTM D5800/b	

Alle angegebenen Daten sind ca. Werte und unterliegen handelsüblichen Schwankungen.

Alle Angaben entsprechen nach bestem Wissen dem derzeitigen Stand der Erkenntnisse und unserer Entwicklung. Änderungen bleiben vorbehalten. Alle Bezugnahmen auf DIN-Normen dienen nur der Warenbeschreibung und stellen keine Garantie dar. Bei vorliegenden Problemfällen technische Beratung anfordern.