



Revision date: 18-Jul-2018 Version: 3 Print date: 18-Jul-2018

## Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name/designation:

RAVENOL Motobike 4-T Ester 15W50

Article No.:

1172113

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

Lubricant

#### 1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

Ravensberger Schmierstoffvertrieb GmbH

Jöllenbecker Str. 2

33824 Werther

D

Telephone: +49 5203 9719 0

Telefax: +49 5203 9719 40

E-mail: kontakt@ravenol.de

Website: www.ravenol.de

E-mail (competent person): technik@ravenol.de

#### \* 1.4. Emergency telephone number

Abt. Technik (Produktsicherheit), 24h: +49 700 24 112 112 (Company ID: RAV) (outside USA/Canada)  
011 49 700 24 112 112 (Company ID: RAV) (inside USA/Canada), +49 5203 9719 0 (Mo-Do 7.30 Uhr -  
16.30 Uhr, Fr 7.30 Uhr - 13.15 Uhr) (Only available during office hours.)

### SECTION 2: Hazards identification

#### \* 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]:

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

#### \* 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

According to EC directives or the corresponding national regulations the product does not have to be labelled.

Hazard statements: -

#### Supplemental Hazard information (EU)

EUH208

Contains Benzenesulfonic acid, 2(or 4)-C10-14-alkyl derivs., compds. with isopropanolamine.  
May produce an allergic reaction.

Precautionary statements: -

#### 2.3. Other hazards

No data available



Revision date: 18-Jul-2018 Version: 3 Print date: 18-Jul-2018

## SECTION 3: Composition / information on ingredients

### \* 3.2. Mixtures

#### Hazardous ingredients / Hazardous impurities / Stabilisers:

product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CL P]	Concentration
CAS No.: 68603-67-8 EC No.: 271-671-7	<b>Amines, polyethylenepoly-, reaction products with benzyl chloride</b> Aquatic Chronic 4 H413	1 - < 3 Wt %
CAS No.: 85995-83-1 EC No.: 289-091-8	<b>Benzenesulfonic acid, 2(or 4)-C10-14-alkyl derivs., compds. with isopropanolamine</b> Skin Sens. 1B, Aquatic Chronic 4 H317-H413	0 - < 1 Wt %

Full text of H- and EUH-phrases: see section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious place in recovery position and seek medical advice. Do not leave affected person unattended.

#### Following inhalation:

Provide fresh air. Consult a doctor immediately.

#### In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. Consult a doctor immediately. May cause an allergic skin reaction.

#### After eye contact:

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

#### After ingestion:

Rinse mouth thoroughly with water. Do NOT induce vomiting. Consult a doctor immediately.

#### Self-protection of the first aider:

Use personal protection equipment. No direct artificial respiration to be given by first aider.

### \* 4.2. Most important symptoms and effects, both acute and delayed

No known symptoms to date.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Observe risk of aspiration if vomiting occurs. May cause an allergic skin reaction.

## SECTION 5: Firefighting measures

### \* 5.1. Extinguishing media

#### Suitable extinguishing media:

Co-ordinate fire-fighting measures to the fire surroundings.

Carbon dioxide (CO<sub>2</sub>)

Extinguishing powder

alcohol resistant foam

Use water spray jet to protect personnel and to cool endangered containers.

#### Unsuitable extinguishing media:

Full water jet

### \* 5.2. Special hazards arising from the substance or mixture

During heating or in case of fire, toxic gases is possible.

The formation of combustible vapours is possible at temperatures above: Flash point

#### Hazardous combustion products:

Carbon monoxide, Carbon dioxide (CO<sub>2</sub>), Nitrogen oxides (NO<sub>x</sub>),

During heating or in case of fire, toxic gases is possible.

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Protective clothing.



Revision date: 18-Jul-2018 Version: 3 Print date: 18-Jul-2018

#### 5.4. Additional information

Do not inhale explosion and combustion gases. Move undamaged containers from immediate hazard area if it can be done safely. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### SECTION 6: Accidental release measures

#### \* 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

**Personal precautions:**

Use personal protection equipment. Special danger of slipping by leaking/spilling product. Remove persons to safety.

**Protective equipment:**

Wear protective gloves/protective clothing/eye protection/face protection.

**Emergency procedures:**

Remove persons to safety.

##### 6.1.2. For emergency responders

**Personal protection equipment:**

Use personal protection equipment.

#### 6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

#### \* 6.3. Methods and material for containment and cleaning up

**For containment:**

Suitable material for taking up: Sand, Kieselguhr, Universal binder, Chemical binding agents, containing acids

Prevent spread over a wide area (e.g. by containment or oil barriers).

**For cleaning up:**

Remove from the water surface (e.g. skimming, sucking). Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

**Other information:**

Treat the recovered material as prescribed in the section on waste disposal.

#### 6.4. Reference to other sections

Safe handling: see section 7

Disposal: see section 13

Personal protection equipment: see section 8

#### 6.5. Additional information

Clear spills immediately. Use appropriate container to avoid environmental contamination.

### SECTION 7: Handling and storage

#### \* 7.1. Precautions for safe handling

**Protective measures**

**Advices on safe handling:**

Personal protection equipment: see section 8 When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Do not put any product-impregnated cleaning rags into your trouser pockets. Clear spills immediately. Use appropriate container to avoid environmental contamination.

**Fire prevent measures:**

No special fire protection measures are necessary.

**Environmental precautions:**

See section 8.

**Advices on general occupational hygiene**

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

#### \* 7.2. Conditions for safe storage, including any incompatibilities

**Technical measures and storage conditions:**

Keep container tightly closed in a cool, well-ventilated place.



Revision date: 18-Jul-2018 Version: 3 Print date: 18-Jul-2018

**Requirements for storage rooms and vessels:**

Suitable container/equipment material: Floors should be impervious, resistant to liquids and easy to clean. Shafts and sewers must be protected from entry of the product.  
 Keep/Store only in original container.

**Hints on storage assembly:**

not required

**Storage class:** 10 - Combustible liquids that cannot be assigned to any of the above storage classes

**Further information on storage conditions:**

Store in a cool dry place. Keep away from heat.

**7.3. Specific end use(s)**

**Recommendation:**

Observe technical data sheet.

**SECTION 8: Exposure controls/personal protection**

\* **8.1. Control parameters**

**8.1.1. Occupational exposure limit values**

No data available

**8.1.2. Biological limit values**

No data available

**8.1.3. DNEL-/PNEC-values**

Substance name	DNEL value	① DNEL type ② Exposure route
Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts CAS No.: 68784-31-6	2.93 mg/m <sup>3</sup>	① DNEL worker ② DNEL long-term inhalative (systemic)
Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased CAS No.: 68784-26-9	3.5 mg/m <sup>3</sup>	① DNEL worker ② DNEL long-term inhalative (systemic)

\* **8.2. Exposure controls**

**8.2.1. Appropriate engineering controls**

See section 7. No additional measures necessary.

**8.2.2. Personal protection equipment**

**Eye/face protection:**

During transfer: Eye glasses with side protection  
 Wear eye/face protection. DIN EN 166

**Skin protection:**

Hand protection  
 Suitable material: NBR (Nitrile rubber), PVC (polyvinyl chloride), CR (polychloroprene, chloroprene rubber)

Thickness of the glove material: >= 0,4 mm

Breakthrough time (maximum wearing time) 480 min

Breakthrough times and swelling properties of the material must be taken into consideration.

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Tested protective gloves must be worn: EN ISO 374

Suitable protective clothing: Protective clothing:

**Respiratory protection:**

Usually no personal respiratory protection necessary.

**8.2.3. Environmental exposure controls**

See section 7. No additional measures necessary.

\* **8.3. Additional information**

Mineral oil mist limits:

OSHA PEL - value 5 mg / m<sup>3</sup>, ACGIH STEL - value of 10 mg / m<sup>3</sup>



Revision date: 18-Jul-2018 Version: 3 Print date: 18-Jul-2018

## SECTION 9: Physical and chemical properties

### \* 9.1. Information on basic physical and chemical properties

#### Appearance

**Physical state:** Liquid

**Colour:** tawny

**Odour:** characteristic

#### Safety relevant basis data

parameter		at °C	Method	Remark
pH	<i>not applicable</i>			
Melting point	<i>not applicable</i>			
Freezing point	<i>not determined</i>			
Initial boiling point and boiling range	<i>not applicable</i>			
Decomposition temperature (°C):	<i>not determined</i>			
Flash point	242 °C			
Evaporation rate	<i>not determined</i>			
Ignition temperature in °C	<i>not determined</i>			
Upper/lower flammability or explosive limits	<i>not applicable</i>			
Vapour pressure	<i>not determined</i>			
Vapour density	<i>not determined</i>			
Relative density	866 kg/m <sup>3</sup>	20 °C		
Bulk density	<i>not determined</i>			
Water solubility	The study does not need to be conducted because the substance is known to be insoluble in water.			
Partition coefficient: n-octanol/water	<i>not determined</i>			
Dynamic viscosity	<i>not determined</i>			
Kinematic viscosity	139.1 mm <sup>2</sup> /s	40 °C		

### 9.2. Other information

No data available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No known hazardous reactions. Risk of explosion if heated under confinement.

### 10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

### 10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

### 10.4. Conditions to avoid

To avoid thermal decomposition do not overheat.

### \* 10.5. Incompatible materials

Materials to avoid: Acid, Oxidising agent, Reducing agent

### 10.6. Hazardous decomposition products

Hazardous combustion products: Carbon dioxide, Carbon monoxide, Nitrogen oxides (NOx)

## SECTION 11: Toxicological information

### \* 11.1. Information on toxicological effects

#### Acute oral toxicity:

Based on available data, the classification criteria are not met.

#### Acute dermal toxicity:

Based on available data, the classification criteria are not met.



Revision date: 18-Jul-2018 Version: 3 Print date: 18-Jul-2018

**Acute inhalation toxicity:**

Based on available data, the classification criteria are not met.

**Skin corrosion/irritation:**

Based on available data, the classification criteria are not met.

**Serious eye damage/irritation:**

Causes serious eye irritation.

**Respiratory or skin sensitisation:**

May cause an allergic skin reaction.

**Germ cell mutagenicity:**

No indications of human germ cell mutagenicity exist.

**Carcinogenicity:**

No indication of human carcinogenicity.

**Reproductive toxicity:**

No indications of human reproductive toxicity exist.

**STOT-single exposure:**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure:**

Based on available data, the classification criteria are not met.

**Aspiration hazard:**

Based on available data, the classification criteria are not met.

**SECTION 12: Ecological information**

\* **12.1. Toxicity**

**Assessment/classification:**

The product has not been tested.

\* **12.2. Persistence and degradability**

**Biodegradation:**

Poorly biodegradable.

\* **12.3. Bioaccumulative potential**

**Accumulation / Evaluation:**

The product has not been tested.

**12.4. Mobility in soil**

The product has not been tested.

\* **12.5. Results of PBT and vPvB assessment**

CAS No.	Substance name	Results of PBT and vPvB assessment
68603-67-8	Amines, polyethylenepoly-, reaction products with benzyl chloride	The substance in the mixture does not meet the PBT/vPvB criteria according to REACH, annex XIII.
85995-83-1	Benzenesulfonic acid, 2(or 4)-C10-14-alkyl derivs., compds. with isopropanolamine	The substance in the mixture does not meet the PBT/vPvB criteria according to REACH, annex XIII.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

**12.6. Other adverse effects**

No information available.

**SECTION 13: Disposal considerations**

\* **13.1. Waste treatment methods**

Dispose of waste according to applicable legislation.

**Waste treatment options**

**Appropriate disposal / Product:**

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal.

**Appropriate disposal / Package:**

Non-contaminated packages may be recycled.

**13.2. Additional information**

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.



Revision date: 18-Jul-2018 Version: 3 Print date: 18-Jul-2018

## SECTION 14: Transport information

No dangerous good in sense of these transport regulations.

### 14.1. UN-No.

not relevant

### 14.2. UN proper shipping name

not relevant

### 14.3. Transport hazard class(es)

not relevant

### 14.4. Packing group

not relevant

### 14.5. Environmental hazards

not relevant

### 14.6. Special precautions for user

not relevant

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

## SECTION 15: Regulatory information

### \* 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU legislation

##### Other regulations (EU):

Safety data sheet available for professional user on request.

#### 15.1.2. National regulations

##### [DE] National regulations

##### Störfallverordnung

##### for substances contained in the product:

E2 Hazardous to the aquatic environment in Category Chronic 2

##### Technische Anleitung Luft (TA-Luft)

##### Remark:

To follow: 5.2.5.

##### Water hazard class (WGK)

##### WGK:

2 - deutlich wassergefährdend

##### Source:

Self-classification (mixture; calculation rule).

Identification number 436

##### Technische Regeln für Gefahrstoffe

TRGS 510

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

##### Berufsgenossenschaftliche Vorschriften (BGV)

Berufsgenossenschaftliche Informationen (BGI) 868

Berufsgenossenschaftliche Regeln (BGR) 189, 190, 192, 195

##### Other regulations, restrictions and prohibition regulations

Altöl-Verordnung (AltöIV)

### 15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

### 15.3. Additional information

No data available



Revision date: 18-Jul-2018 Version: 3 Print date: 18-Jul-2018

## SECTION 16: Other information

### \* 16.1. Indication of changes

1.4.	Emergency telephone number
2.1.	Classification of the substance or mixture
2.2.	Label elements
3.2.	Mixtures
4.2.	Most important symptoms and effects, both acute and delayed
5.1.	Extinguishing media
5.2.	Special hazards arising from the substance or mixture
6.1.	Personal precautions, protective equipment and emergency procedures
6.3.	Methods and material for containment and cleaning up
7.1.	Precautions for safe handling
7.2.	Conditions for safe storage, including any incompatibilities
8.1.	Control parameters
8.2.	Exposure controls
8.3.	Additional information
9.1.	Information on basic physical and chemical properties
10.5.	Incompatible materials
11.1.	Information on toxicological effects
12.1.	Toxicity
12.2.	Persistence and degradability
12.3.	Bioaccumulative potential
12.5.	Results of PBT and vPvB assessment
13.1.	Waste treatment methods
15.1.	Safety, health and environmental regulations/legislation specific for the substance or mixture
16.1.	Indication of changes
16.4.	Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]
16.5.	Relevant R-, H- and EUH-phrases (Number and full text)

### 16.2. Abbreviations and acronyms

See overview table at [www.euphrac.eu](http://www.euphrac.eu)

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

### 16.3. Key literature references and sources for data

67/548/EEC - Dangerous Substances Directive

1999/45/EEC - Dangerous Preparations Directive

EC 1907/2006 - REACH Regulation

1272/2008 EC - Regulation on classification, labeling and packaging of substances and mixtures, and amending Directives 67/548/EEC and 1999/45/EC and Regulation (EC) No 1907/2006

Regulation (EC) No 1907/2006 (REACH), Annex II

European Chemicals Agency (ECHA), C & L classification and labeling inventory

European Chemicals Agency (ECHA), ECHA CHEM Registered substances

OECD The Global Portal to Information on Chemical Substances (ChemPortal)

Institute for Occupational Safety and Health of the German Social Accident Insurance (IFA): GESTIS substance database and International limit values for chemical substances

Federal Environment Agency, Section IV 2.4: Documentation and Information Centre substances hazardous to water Rigoletto (catalog substances hazardous to water)

### \* 16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

#### Classification according to Regulation (EC) No 1272/2008 [CLP]:

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

### \* 16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements	
H317	May cause an allergic skin reaction.
H413	May cause long lasting harmful effects to aquatic life.

### 16.6. Training advice

No data available





**Revision date:** 18-Jul-2018 **Version:** 3 **Print date:** 18-Jul-2018

### **16.7. Additional information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

\* Data changed compared with the previous version



## RAVENOL MOTOBIKE 4-T Ester SAE 15W-50



ART.-NR. 1172113

1 L I 1172113-001  
4 L I 1172113-004  
20 L I 1172113-020  
20 L I 1172113-B20  
60 L I 1172113-060  
60 L I 1172113-D60  
1000 L I 1172113-700

**VISKOSITÄT** 15W-50

**SPEZIFIKATIONEN** API SM IJASO MA/MA2 T903:2006

**HERSTELLUNGSART** TEILSYNTHETISCH

**EMPFEHLUNGEN** YAMAHA | KAWASAKI | HONDA | APRILIA | BMW | SUZUKI | DUCATI | TRIUMPH | MOTO-GUZZI

**RAVENOL Motobike 4-T Ester SAE 15W-50** ist ein teilsynthetisches zukunftsorientiertes Motorenöl, das speziell für 4-Takt Motorräder konzipiert wurde. Es ermöglicht einen kraftstoffsparenden Betrieb der Motoren.

Mit **RAVENOL Motobike 4-T Ester SAE 15W-50** wurde ein zuverlässiges und hochbelastbares Motorenöl für anspruchsvolle Motoren von Motorrädern mit nassen Kupplungen und ölgeschmierten Kupplungen entwickelt. Das exzellente Kaltstartverhalten sorgt für eine optimale Schmiersicherheit in der Kaltlaufphase.

**RAVENOL Motobike 4-T Ester SAE 15W-50** wird den High-Tech-Ansprüchen der jüngsten leistungsstarken Motorengeneration gerecht.

## Anwendungshinweis

**RAVENOL Motobike 4-T Ester SAE 15W-50** eignet sich als Hochleistungs-Leichtlauf-Motorenöl für alle Motorräder wenn die Spezifikation SAE 15W-50 gefordert wird.

## Eigenschaften

**RAVENOL Motobike 4-T Ester SAE 15W-50** bietet:

- Schnelle Durchölung des Motors.
- Geringe Verdampfungsneigung, dadurch niedriger Ölverbrauch.
- Sicherheit gegen Verschlämmungen, Verkokungen, Verlackungen und Korrosion auch bei ungünstigen Einsatzbedingungen.
- Die Funktion der Hydrostößel ist bei allen Temperaturen gewährleistet.
- Keine ölbedingten Ablagerungen in Brennräumen, in der Kolbenringzone und an Ventilen.
- Unveränderte Viskosität während des gesamten Ölwechselintervalls, hoher Viskositätsindex.
- Neutralität gegenüber Dichtungsmaterialien.



Eigenschaften	Einheit	Daten	Prüfung nach
Dichte bei 20°C	kg/m <sup>3</sup>	866,0	EN ISO 12185
Aussehen/Farbe		gelbbraun	visuell
Viskosität bei 100°C	mm <sup>2</sup> /s	18,7	DIN 51 562
Viskosität bei 40°C	mm <sup>2</sup> /s	138	DIN 51 562
Viskositätsindex VI		153	DIN ISO 2909
CCS Viskosität bei -20°C	mPa*s	5732	ASTM D5293
Pourpoint	°C	-33	DIN ISO 3016
Flammpunkt	°C	242	DIN ISO 2592
TBN	mg KOH/g	10,3	ASTM D2896
Sulfatasche	%wt.	1,1	DIN 51 575

Alle Angaben entsprechen nach bestem Wissen dem derzeitigen Stand der Erkenntnisse und unserer Entwicklung. Änderungen bleiben vorbehalten. Alle Bezugnahme auf DIN-Normen dienen nur der Warenbeschreibung und stellen keine Garantie dar. Bei vorliegenden Problemfällen technische Beratung anfordern.

Stand: 17. Juni 2019