



RAVENOL Velour Reiniger



RAVENOL Velour-Reiniger ist ein phosphatfreies Pflegemittel für Sitzbezüge, Fußmatten, Innenverkleidungen und alle Kunststoffflächen im PKW.

Mühevolle, effektive Reinigung der Sitzflächen und Armaturen. Entfernt Fettflecken, Nikotinspuren und Essensreste restlos und beseitigt dabei unangenehme Gerüche. Oberflächen werden nicht angegriffen.

ART.-NR. 1360066

500 ml | 1360066-500

5 L | 1360066-005

Anwendungshinweis

Bei der Anwendung von **RAVENOL Velour-Reiniger** sollte folgendes beachtet werden:

1. An einer unauffälligen Stelle der Sitzbezüge die Farbechtheit und die Materialverträglichkeit testen.
2. **RAVENOL Velour-Reiniger** auf ein feuchtes Tuch sprühen und damit leicht und ohne zu rubbeln über die Fläche reiben oder das Polster bzw. die Sitzbezüge aus einer Entfernung von ca.50 cm ganz fein ansprühen jedoch generell immer von unten nach oben arbeiten um Streifen wegen der unterschiedlichen Einwirkzeit zu vermeiden.

Für Stoffe gilt: Flecken immer von außen nach innen reinigen.

3. Mit einem feuchten Tuch ohne zu rubbeln über die Fläche reiben, um **RAVENOL Velour-Reiniger** wieder zu entfernen.

Nie **RAVENOL Velour-Reiniger** zu stark aufsprühen oder antrocknen lassen!

Inhaltsstoffe

Biologisch abbaubar bis 98 %. Formaldehyd- und phosphatfrei.

Inhaltsstoffe gemäß EG-Richtlinien: Komplexbildner, Tenside.



Eigenschaften	Einheit	Daten	Prüfung nach
---------------	---------	-------	--------------

Alle Angaben entsprechen nach bestem Wissen dem derzeitigen Stand der Erkenntnisse und unserer Entwicklung. Änderungen bleiben vorbehalten. Alle Bezugnahme auf DIN-Normen dienen nur der Warenbeschreibung und stellen keine Garantie dar. Bei vorliegenden Problemfällen technische Beratung anfordern.

Stand: 10. Februar 2020



Revision date: 19-Jul-2017 Version: 3 Print date: 19-Jul-2017

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:

RAVENOL Velour Reiniger

Article No.:

1360066

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

Reiniger

1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

Ravensberger Schmierstoffvertrieb GmbH

Jöllenbecker Str. 2

33824 Werther

D

Telephone: +49 5203 9719 0

Telefax: +49 5203 9719 48

E-mail: kontakt@ravenol.de

Website: www.ravenol.de

E-mail (competent person): kontakt@ravenol.de

1.4. Emergency telephone number

Abt. Produktsicherheit, 24h: +49 700 24 112 112 (Company ID: RAV) (outside USA/Canada) 011 49 700 24 112 112 (Company ID: RAV) (inside USA/Canada), +49 5203 9719 0 (Only available during office hours.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]:

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

According to EC directives or the corresponding national regulations the product does not have to be labelled.

Hazard components for labelling:

Orange, sweet, ext.

Hazard statements: -

Supplemental Hazard information (EU)

EUH208	Contains Orange, sweet, ext.. May produce an allergic reaction.
EUH210	Safety data sheet available on request.

Precautionary statements: -

2.3. Other hazards

No data available

SECTION 3: Composition / information on ingredients

3.2. Mixtures

Additional information:

Regulation (EC) No. 648/2004 (Detergents regulation): anionic surfactants, perfumes, amphoteric surfactants < 0,1%



Revision date: 19-Jul-2017 Version: 3 Print date: 19-Jul-2017

Hazardous ingredients / Hazardous impurities / Stabilisers:

product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 8028-48-6 EC No.: 232-433-8	Orange, sweet, ext. Flam. Liq. 3, Skin Irrit. 2, Skin Sens. 1, Asp. Tox. 1, Aquatic Chronic 2 H226-H304-H315-H317-H411	0 - < 0.15 Wt %

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

No special measures are necessary. Remove contaminated, saturated clothing immediately.

Following inhalation:

Provide fresh air.

In case of skin contact:

In case of skin irritation, consult a physician.

After eye contact:

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion:

Rinse mouth thoroughly with water. If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

Self-protection of the first aider:

First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed

No known symptoms to date. May cause an allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

In case of fire, use sand, extinguishing powder or alcohol resistant foam. Use water spray jet to protect personnel and to cool endangered containers. Non-combustible liquids.

Unsuitable extinguishing media:

High power water jet

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products:

Nitrogen oxides (NOx), Carbon monoxide, Carbon dioxide (CO₂)

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

5.4. Additional information

Co-ordinate fire-fighting measures to the fire surroundings. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Fire class: B

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

No special measures are necessary.

6.1.2. For emergency responders

No data available

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.



Revision date: 19-Jul-2017 Version: 3 Print date: 19-Jul-2017

6.3. Methods and material for containment and cleaning up

For containment:

Suitable material for taking up: Sand, Kieselguhr, Universal binder, Chemical binding agents, containing acids

For cleaning up:

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Other information:

Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

SECTION 7: Handling and storage

SECTION 8: Exposure controls/personal protection

SECTION 13: Disposal considerations

6.5. Additional information

Clear spills immediately.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

No special measures are necessary.

Fire prevent measures:

No special fire protection measures are necessary.

Measures to prevent aerosol and dust generation:

See protective measures under point 7 and 8.

Environmental precautions:

See section 8.

Advices on general occupational hygiene

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff. Remove contaminated, saturated clothing immediately.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Keep only in original container.

Requirements for storage rooms and vessels:

Shafts and sewers must be protected from entry of the product. Keep only in the original container in a cool, well-ventilated place.

Hints on storage assembly:

TRGS 510

Storage class: 10 - Combustible liquids that cannot be assigned to any of the above storage classes

Further information on storage conditions:

Observe technical data sheet.

7.3. Specific end use(s)

Recommendation:

Observe technical data sheet.



Revision date: 19-Jul-2017 Version: 3 Print date: 19-Jul-2017

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	① long-term occupational exposure limit value ② short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
IOELV (EU)	2-butoxyethanol CAS No.: 111-76-2	① 20 ppm (98 mg/m ³) ② 50 ppm (246 mg/m ³) ⑤ (May be absorbed through the skin.)
TRGS 900 (DE)	2-butoxyethanol CAS No.: 111-76-2	① 10 ppm (49 mg/m ³) ② 40 ppm (196 mg/m ³) ⑤ Kann über die Haut aufgenommen werden.
DFG (DE)	2-butoxyethanol CAS No.: 111-76-2	① 10 ppm (49 mg/m ³) ② 20 ppm (98 mg/m ³)

8.1.2. Biological limit values

Limit value type (country of origin)	Substance name	Limit value	① parameter ② Test material ③ Sample time ④ Remark
TRGS 903 (DE)	2-butoxyethanol CAS No.: 111-76-2	200 mg/L	① Butoxyessigsäure; Nach Hydrolyse: ② Urin ③ bei Langzeitexposition
TRGS 903 (DE)	2-butoxyethanol CAS No.: 111-76-2	100 mg/L	① Butoxyessigsäure ② Urin ③ bei Langzeitexposition

8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type ② Exposure route
sodium hydroxide CAS No.: 1310-73-2	1 mg/m ³	① DNEL worker ② DNEL long-term inhalative (local)

8.2. Exposure controls

8.2.1. Appropriate engineering controls

See section 7. No additional measures necessary.

8.2.2. Personal protection equipment

Eye/face protection:

During transfer: Eye glasses with side protection

Skin protection:

Hand protection

Suitable material: NBR (Nitrile rubber)

Thickness of the glove material: $\geq 0,4$ mm

Breakthrough time (maximum wearing time) 480 min

Breakthrough times and swelling properties of the material must be taken into consideration. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Suitable protective clothing: Protective clothing:

Respiratory protection:

Usually no personal respirative protection necessary.

8.2.3. Environmental exposure controls

See section 7. No additional measures necessary.



Revision date: 19-Jul-2017 Version: 3 Print date: 19-Jul-2017

8.3. Additional information

No data available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: liquid

Colour: light yellow

Odour: characteristic

Safety relevant basis data

parameter		at °C	Method	Remark
pH	9	20 °C		
Melting point	<i>not determined</i>			
Freezing point	<i>not applicable</i>			
Initial boiling point and boiling range	<i>not determined</i>			
Decomposition temperature (°C):	<i>not applicable</i>			
Flash point	<i>not applicable</i>			
Evaporation rate	<i>not applicable</i>			
Ignition temperature in °C	<i>not applicable</i>			
Upper/lower flammability or explosive limits	<i>not determined</i>			
Vapour pressure	<i>not applicable</i>			
Vapour density	<i>not applicable</i>			
Relative density	1,002 kg/m ³	20 °C		
Bulk density	<i>not applicable</i>			
Water solubility (g/L)	completely miscible			
Partition coefficient: n-octanol/water	<i>No data available</i>			
Dynamic viscosity	<i>not applicable</i>			
Kinematic viscosity	<i>not determined</i>	40 °C		

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No known hazardous reactions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

No special measures are necessary.

10.5. Incompatible materials

Oxidising agent, strong
 Acid, concentrated

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

CAS No.	Substance name	Toxicological information
8028-48-6	Orange, sweet, ext.	LD₅₀ oral: >5,700 mg/kg (Rat) LD₅₀ dermal: >2,000 mg/kg (Rabbit)



Revision date: 19-Jul-2017 Version: 3 Print date: 19-Jul-2017

Acute oral toxicity:

ATEmix calculated: > 2.000 mg/kg

Acute dermal toxicity:

No information available for acute dermal and inhalative toxicity.

Acute inhalation toxicity:

No information available for acute dermal and inhalative toxicity.

Skin corrosion/irritation:

No irritant effect.

Eye damage/irritation:

No irritant effect.

Respiratory or skin sensitisation:

May cause an allergic skin reaction.

Germ cell mutagenicity:

No indications of human germ cell mutagenicity exist.

Carcinogenicity:

No indication of human carcinogenicity.

Reproductive toxicity:

No indications of human reproductive toxicity exist.

SECTION 12: Ecological information

12.1. Toxicity

Assessment/classification:

The product has not been tested.

12.2. Persistence and degradability

Biodegradation:

Readily biodegradable (according to OECD criteria).

12.3. Bioaccumulative potential

Partition coefficient: n-octanol/water:

No data available

Accumulation / Evaluation:

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of waste according to applicable legislation.

13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code product:

Remark:

Delivery to an approved waste disposal company.

Waste treatment options

Appropriate disposal / Product:

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal.

Appropriate disposal / Package:

Dispose of waste according to applicable legislation.

13.2. Additional information

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Revision date: 19-Jul-2017 Version: 3 Print date: 19-Jul-2017



SECTION 14: Transport information

No dangerous good in sense of these transport regulations.

14.1. UN-No.

not relevant

14.2. UN proper shipping name

not relevant

14.3. Transport hazard class(es)

not relevant

14.4. Packing group

not relevant

14.5. Environmental hazards

not relevant

14.6. Special precautions for user

not relevant

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Other regulations (EU):

Safety data sheet available for professional user on request.

15.1.2. National regulations

[DE] National regulations

Störfallverordnung

Remark:

Not subject to StörfallVO.

Technische Anleitung Luft (TA-Luft)

Remark:

Not subject to TA-Luft.

Water hazard class (WGK)

WGK:

1 - schwach wassergefährdend

Description:

slightly hazardous to water (WGK 1)

Source:

Self-classification (mixture; calculation rule).

Technische Regeln für Gefahrstoffe

Minimum protective measures according to TRGS 500

Berufsgenossenschaftliche Vorschriften (BGV)

Berufsgenossenschaftliche Informationen (BGI) 868

Berufsgenossenschaftliche Regeln (BGR) 189, 190, 192, 195

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

15.3. Additional information

UBA-Nr. 07030051



Revision date: 19-Jul-2017 Version: 3 Print date: 19-Jul-2017

SECTION 16: Other information

16.1. Indication of changes

sections 2, 3, 4, 7, 8, 11, 12, 15

16.2. Abbreviations and acronyms

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

See overview table at www.euphrac.eu

16.3. Key literature references and sources for data

67/548/EEC - Dangerous Substances Directive

1999/45/EEC - Dangerous Preparations Directive

EC 1907/2006 - REACH Regulation

1272/2008 EC - Regulation on classification, labeling and packaging of substances and mixtures, and amending Directives 67/548/EEC and 1999/45/EC and Regulation (EC) No 1907/2006

Regulation (EC) No 1907/2006 (REACH), Annex II

European Chemicals Agency (ECHA), C & L classification and labeling inventory

European Chemicals Agency (ECHA), ECHA CHEM Registered substances

OECD The Global Portal to Information on Chemical Substances (ChemPortal)

Institute for Occupational Safety and Health of the German Social Accident Insurance (IFA): GESTIS substance database and International limit values for chemical substances

Federal Environment Agency, Section IV 2.4: Documentation and Information Centre substances

hazardous to water Rigoletto (catalog substances hazardous to water)

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Classification according to Regulation (EC) No 1272/2008 [CLP]:

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements	
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H411	Toxic to aquatic life with long lasting effects.

16.6. Training advice

No data available

16.7. Additional information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.